



KRG CLEANING

GREENDAS STAIN REMOVER

What is the 4.0 Revision?

Revision Date: September 18, 2025

Revised version: 3.0

TR - Turkish

Part 1

Safety Data Sheet

It was prepared in accordance with the provisions of KKDyK Annex II Regulation No. 30105, dated 23.06.2017.

Safety Data Sheet

It was prepared in accordance with the provisions of KKDyK Annex II Regulation No. 30105, dated 23.06.2017.

1 Identification of the substance/mixture and company/distributor

1.1 Substance/Mixture identity

Code:	
Product name	GREENDAS STAIN REMOVER

1.2 Relevant identified uses of the substance or mixture and uses advised against

No information.

1.3 Details of the safety data sheet provider

Company Name	KRG CLEANING-ÖZGÜR KÖRG
Address	Sazlıbosna Neighborhood, Sazlıdere Street, No: 35 Arnavutköy,
City	ISTANBUL
Postal code	54050
	ISTANBUL
Province/Country	Türkiye
Phone number	+90 505 926 70 94
fax	
e-mail address of the authorized person, person responsible for the security data sheet	
Supplier:	+90 505 926 70 94

1.4 Emergency telephone number

For urgent information, please consult	+90 505 926 70 94
--	-------------------

2. Definition of damages

2.1 Classification of the substance or mixture


The product is classified as hazardous in accordance with the provisions of Regulation (TC) SEA No. 28848/2013 (and subsequent amendments and supplements).

Accordingly, the product requires a safety data sheet in accordance with the provisions of Regulation (TC) KKDyK Annex II No. 30105/2017 (TC). Additional information regarding potential health and/or environmental hazards is found in sections 11 and 12 of this safety data sheet.

Hazard classification		
Skin Irritation, Hazard Category 2	H315	Causes skin irritation.
Eye Irritation, Hazard Category 2	H319	Causes serious eye irritation.

2.2 Label information

Hazard labels according to Regulation (TC) SEA No. 28848/2013 and subsequent amendments and adaptations.

	KRG CLEANING	What is the 4.0 Revision?
		Revision Date: September 18, 2025
	GREENDAS STAIN REMOVER	Revised version: 3.0
		TR - Turkish

Part 2

Safety Data Sheet

It was prepared in accordance with the provisions of KKDýK Annex II Regulation No. 30105, dated 23.06.2017.

Signs of Harm



Word of Warning

Attention

Hazard Statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

P280	Wear protective gloves / safety glasses / face shield.
P337+P313	If eye irritation persists: Get medical advice/attention.
P321	Specific treatment (see appropriate box on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P264	Wash exposed body parts thoroughly after handling.
P362+P364	Remove contaminated clothing and wash before reuse.
P103	Read the label before use.

Additional hazard statements

EUH208	Contains Cocamidopropyl Betaine (45%). May cause an allergic reaction.
--------	--

2.3 Other damages

According to currently available information, the product does not contain PBT or vPvB substances at $\geq 0.1\%$.

3 Composition/Information on ingredients


3.2 Mixtures

ETHANEDIOL

Concentration	$3.5 \leq x < 3.9\%$
CAS Number	107-21-1
EC number	203-473-3
Hazard classification	\geq Acute Tox. 4; H302

Dodecylbenzenesulfonic acid

Concentration	$2.2 \leq x < 2.44\%$
CAS Number	27176-87-0
EC number	248-289-4
Hazard classification	\geq Acute Tox. 4; H302 \geq Skin Corr. 1B; H314 \geq Eye Damage 1; H318

	KRG CLEANING	What is the 4.0 Revision?
		Revision Date: September 18, 2025
	GREENDAS STAIN REMOVER	Revised version: 3.0
		TR - Turkish

Chapter 3

Safety Data Sheet

It was prepared in accordance with the provisions of KKD K Annex II Regulation No. 30105, dated 23.06.2017.

Cocamidopropyl

Concentration	0.88 � x < 0.97%
CAS Number	61789-40-0
EC number	263-058-8
Hazard classification	� Skin Irrit. 2; H315 � Skin Sens. 1; H317 � Eye Irrit. 2; H319 � Aquatic Chronic 3; H412

The full text of the hazard statements (H) is found in section 16 of the Safety Data Sheet.

4 First aid measures

4.1 Introduction of first aid measures

In case of doubt or if symptoms occur, consult a doctor and show this document.

If more serious symptoms occur, seek immediate medical attention.

EYES CONTACT: Remove contact lenses (if present) if they can be easily removed. Rinse immediately with plenty of water for at least 15 minutes, holding eyelids wide open. Get medical advice/attention.

SKIN CONTACT: Remove contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless expressly authorized by a physician. Do not give anything by mouth to a person who is unconscious. Seek medical advice/assistance.

INHALATION: Remove the victim to fresh air, away from the scene of the accident. If respiratory symptoms (cough, wheezing, shortness of breath, asthma) occur, keep the victim in a position comfortable for breathing. If necessary, administer oxygen. If breathing stops, administer artificial respiration by authorized personnel. Get medical advice/attention.

Protection of first aid personnel

It is recommended that first aid personnel providing assistance to a person exposed to a chemical substance or mixture use personal protective equipment. The characteristics of such protective equipment vary depending on the hazardousness of the substance or mixture, the mode of exposure, and the degree of contamination. Unless more specific instructions are provided, the use of disposable gloves is strongly recommended for potential contact with biological fluids. See Section 8 for the type of PPE appropriate to the properties of the substance or mixture.

4.2 Most important symptoms and effects, both acute and delayed

Specific information about symptoms and effects caused by the product is not known.

DELAYED EFFECTS: Based on currently available information, there are no known cases of delayed effects following exposure to this product.

4.3 Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

Tools that should be available in the workplace for specific and emergency treatment


Tap water and eye wash for skin washing.

5 Firefighting measures

5.1 Fire extinguishers

SUITABLE EXTINGUISHING AGENTS

The types of fire extinguishing equipment commonly used are: carbon dioxide, foam, powder and water mist.

	KRG CLEANING		What is the 4.0 Revision?
			Revision Date: September 18, 2025
	GREENDAS STAIN REMOVER		Revised version: 3.0
			TR - Turkish

Chapter 5

Safety Data Sheet

It was prepared in accordance with the provisions of KKDjK Annex II Regulation No. 30105, dated 23.06.2017.

UNSUITABLE EXTINGUISHING AGENTS

There is no particularly unsuitable equipment.

5.2 Special hazards arising from the substance or mixture

DAMAGES ARISING FROM EXPOSURE IN THE EVENT OF FIRE

Avoid breathing combustion products.

5.3 Advice for firefighters

GENERAL INFORMATION

Cool containers with water jets to prevent product decomposition and the formation of potentially hazardous substances. Always wear full fire protection equipment. Collect extinguishing water to prevent discharge into the sewer system. Contaminated fire-fighting water and fire residue must be disposed of in accordance with applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTING TEAMS

Normal equipment for firefighting, such as self-contained open-circuit compressed air breathing apparatus (EN 137), protective clothing for firefighting (EN 469), protective gloves for firefighters (EN 659) and firefighting boots (HO A 29 or A30).

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency response plan

If there is no danger, stop the leak.

Wear appropriate protective equipment (including the personal protective equipment specified in Section 8 of the safety data sheet) to prevent contamination of skin, eyes, and personal clothing. These indications apply to both operating personnel and those involved in emergency procedures.

6.2 Environmental precautions

The product should not enter the sewer system or come into contact with surface water or groundwater.

6.3 Methods and materials for containment and cleaning up

Collect the leaked/flowing product in a suitable container. Check Section 10 to assess the suitability of the container to be used with the product. Absorb the remainder with inert absorbent material.

Ensure adequate ventilation of the area where the leak occurred. Disposal of contaminated material must be carried out in accordance with the provisions of section 13.


6.4 References to other sections

Possible information on personal protection and disposal issues is set out in sections 8 and 13.

7. Handling and storage

7.1 Precautions for safe handling

Handle the product after reading all other sections of this safety data sheet. Prevent the product from spreading into the environment. Do not eat, drink, or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.

	KRG CLEANING	What is the 4.0 Revision?
		Revision Date: September 18, 2025
	GREENDAS STAIN REMOVER	Revised version: 3.0
		TR - Turkish

Chapter 7

Safety Data Sheet

It was prepared in accordance with the provisions of KKDYK Annex II Regulation No. 30105, dated 23.06.2017.

7.2 Conditions for safe storage, including substances that should not coexist

Keep only in the original container. Keep containers closed, in a well-ventilated place, away from direct sunlight. Check the instructions in Section 10 and keep containers away from potentially incompatible materials.

7.3 Specific end uses

No information.

8. Exposure control/personal protection

8.1 Control parameters

Regulatory references	
ACGIH	ACGIH 2023
European Union-OEL	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
Türkiye-OEL	Regulation on Health and Safety Measures in Working with Chemical Substances 12.08.2013 / 28733

ETHANEDIOL

	TWA		STELE		Ceiling		Notes	
	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm		
ACGIH			10				Breathing	
ACGIH		25		50			--	
European Union-OEL	52	20	104	40			Through the skin	
Türkiye-OEL	52	20	104	40			Through the skin	

8.2 Exposure control

Since the use of adequate technical equipment must always take precedence over personal protective equipment, good ventilation of the workplace must be guaranteed through effective local exhaust ventilation.

For the selection of personal protective equipment, consult your chemical suppliers if necessary.

Personal protective equipment must bear the CE marking, which proves its compliance with applicable standards.

For selection of risk management measures and operating conditions, see also the attached exposure scenarios.

Provide face and eye wash stations and emergency showers.

HANDS PROTECTION

Protect hands with category III work gloves (ref. EN 374 standard).

The following points should be considered for the selection of work glove material: compatibility, degradation, disintegration time and permeability.

Because the chemical resistance of work gloves in mixtures is unpredictable, they should be checked before use. Wear time depends on the duration of use and the method of use.

SKIN PROTECTION

Wear long-sleeved overalls and safety shoes intended for professional use, Category II (see Directive 2016/425 and standard EN ISO 20344). After removing protective clothing, wash your body with soap and water.

EYE PROTECTION

It is recommended to wear airtight protective goggles (ref. EN 166 standard).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) for one or more substances contained in the substance or product is exceeded, it is recommended to wear a type A filter mask, the class (1, 2 or 3) of which is selected according to the use limit concentration (ref. EN 14387 standard). In the presence of different gases or vapours and/or particulate gases or vapours (aerosols, smoke, mist, etc.), combined type filters should be provided.



KRG CLEANING

GREENDAS STAIN REMOVER

What is the 4.0 Revision?

Revision Date: September 18, 2025

Revised version: 3.0

TR - Turkish

Chapter 8

Safety Data Sheet

It was prepared in accordance with the provisions of KKDýK Annex II Regulation No. 30105, dated 23.06.2017.

If the technical measures implemented are not sufficient to limit the worker's exposure to the threshold values considered, respiratory protection devices must be used. In any case, the protection provided by a mask is limited.

If the substance considered is odourless or its odour threshold is greater than the relevant TLV-TWA and in case of emergency, use a self-contained open-circuit compressed air breathing apparatus (ref. EN 137 standard) or an external intake breathing apparatus (ref. EN 138 standard). For the correct selection of respiratory protection equipment, see EN 529 standard.

ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from production processes, including emissions from ventilation devices, must be controlled for compliance with environmental protection norms.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	liquid	
Colour	yellowish	
Smell	Not available	
pH	12-13	
Melting point/freezing point	Not available	
Initial boiling point	Not available	
Flash point	Not available	
Flammability	Not available	
Lower explosive limits	Not available	
Upper explosive limits	Not available	
Vapor pressure	Not available	
Relative vapor density	Not available	
Density and/or Relative density Resolution	Not available	
	completely soluble in water	
Partition coefficient: n-octanol/water	Not available	
ignition temperature	Not available	
Decomposition temperature	Not available	
Kinematic viscosity	Not available	
odor threshold	Not available	
Evaporation rate	Not available	
Explosive properties	Not available	
Oxidizing properties	Not available	


9.2 Other information

Molecular weight	1.01	
Total Solids 250°C	5%	

10 Stability and reactivity

10.1 Reaction

There is no particular risk of reaction with other substances under normal conditions of use.

	KRG CLEANING	Revision Date: 4.0 Revision Date:
		18.09.2025 Modified review: 3.0
	GREENDAS STAIN REMOVER	TR - Turkish

Chapter 10

Safety Data Sheet

It was prepared in accordance with the provisions of KKDyK Annex II Regulation No. 30105, dated 23.06.2017.

ETHANEDIOL

Absorbs moisture from air and decomposes
at temperatures above 200°C (392°F)

10.2 Chemical stability

The product is stable under normal use and storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions are foreseen under normal conditions of use and storage.

ETHANEDIOL

Risk of explosion on contact with: perchloric acid May react dangerously with:
chlorosulfuric acid, sodium hydroxide, sulfuric acid, phosphorus pentasulfide, chromium(III) oxide, chromyl chloride, potassium perchlorate, potassium dichromate,
sodium peroxide, aluminium Forms explosive mixtures with: air

10.4 Situations to avoid

Not specified. In all cases, apply the usual precautions for chemical products in general.

ETHANEDIOL

Avoid contact with: heat sources, uncontrolled flame

10.5 Incompatible materials

No information.

10.6 Hazardous decomposition products

ETHANEDIOL

May form: hydroxyacetaldehyde, glyoxal, acetaldehyde, methane, carbon monoxide, hydrogen

11 Toxicological information

In the absence of experimental toxicological data on the product, the potential health hazards of the product have been assessed according to the criteria stipulated in the normative context used as reference for classification on the basis of the properties of the substances involved.

Therefore, to assess the toxicological effects resulting from exposure to the product, take into account the concentrations of the individual substances listed in section 3 as possible.

11.1 Information on toxicological effects

11.1.1 Metabolism, toxicokinetics, mechanism of action and other information

No information.

11.1.2 Information on possible routes of exposure

ETHANEDIOL

WORKERS: inhalation; skin contact.

PUBLIC: consumption of contaminated food or water; contact with products containing the substance.



KRG CLEANING

GREENDAS STAIN REMOVER

What is the 4.0 Revision?

Revision Date: September 18, 2025

Revised version: 3.0

TR - Turkish

Chapter 11

Safety Data Sheet

It was prepared in accordance with the provisions of KKDýK Annex II Regulation No. 30105, dated 23.06.2017.

11.1.3 Delayed, immediate and chronic effects due to short and long-term exposure

ETHANEDIOL

Ingestion initially stimulates the central nervous system; later, a depressive phase sets in. Kidney damage may occur, and anuria and uremia may develop. Symptoms of prolonged exposure include vomiting, dizziness, respiratory distress, and involuntary convulsions. The lethal dose for humans is approximately 1.4 ml/kg.

11.1.4 Interactive effects

No information.

11.1.5 ACUTE TOXICITY

ATE (Inhalation) composition of the mixture	Not classified (no significant components)
ATE (Oral) composition of the mixture	8,270,359 mg/kg
ATE (via skin) composition of the mixture	Not classified (no significant components)

ETHANEDIOL

LD50 (Oral):	500 mg/kg	Types/Guidelines: Rat
LD50 (Dermal):	9,530 mg/kg	Types/Guidelines: Rabbit

Dodecylbenzenesulfonic acid (LABSA)

LD50 (Oral):	500 mg/kg	
--------------	-----------	--

11.1.6 SKIN CORROSION/IRRITATION

Causes skin irritation.

11.1.7 SERIOUS EYE DAMAGES/IRRITATION

Causes serious eye irritation.

11.1.8 RESPIRATORY OR SKIN SENSITIZATION

Does not meet the classification criteria for this hazard class.

11.1.9 GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class.

11.1.10 CARCINOGENICITY

Does not meet the classification criteria for this hazard class.

ETHANEDIOL

Available studies have not demonstrated a carcinogenic risk. A two-year study of carcinogens conducted by the US National Toxicology Program (NTP) in which ethylene glycol was administered intravenously to male and female B6C3F1 mice showed "no evidence of carcinogenic activity" (NTP, 1993).

11.1.11 REPRODUCTIVE SYSTEM TOXICITY

Does not meet the classification criteria for this hazard class.

11.1.12 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class.



KRG CLEANING

Revision Date: 4.0 Revision Date:

18.09.2025 Modified review: 3.0

GREENDAS STAIN REMOVER

TR - Turkish

Chapter 11

Safety Data Sheet

It was prepared in accordance with the provisions of KKDyK Annex II Regulation No. 30105, dated 23.06.2017.

11.1.13 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class.

11.1.14 ASPIRATION DAMAGE

Does not meet the classification criteria for this hazard class.

12 Ecological information

Apply good working practices before disposing of the product in the environment. Avoid littering. Inform the relevant authorities if the product reaches waterways or contaminates soil or vegetation.

12.1 Toxicity

No information.

12.2 Persistence and degradability

ETHANEDIOL

Water solubility	1,000 g x g 10,000 mg/l
Perishability	Rapidly degradable

12.3 Bioaccumulative potential

ETHANEDIOL

Partition coefficient n-octanol/water	-1.36 LogKow
---------------------------------------	--------------

12.4 Mobility in soil

No information.

12.5 PBT and vPvB assessment

According to currently available information, the product does not contain PBT or vPvB substances at g 0.1%.

12.6 Other adverse effects

No information.

13 Disposal information

13.1 Waste treatment methods


If possible, reuse. Remaining product residues should be considered as special hazardous waste. The hazardousness of waste containing part of this product must be assessed in accordance with applicable regulations.

Disposal must be carried out by handing over to a company authorized for waste management in accordance with waste management regulations.

Waste management resulting from the use or distribution of this product must be regulated in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be sent for recovery or disposal in accordance with waste management regulations.

	KRG CLEANING	Revision Date: 4.0 Revision Date:
		18.09.2025 Modified review: 3.0
	GREENDAS STAIN REMOVER	TR - Turkish

Chapter 14

Safety Data Sheet

It was prepared in accordance with the provisions of KKDyK Annex II Regulation No. 30105, dated 23.06.2017.

14 Transportation information

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport damages

Not applicable

14.4 Packaging group

Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precautions for users

Not applicable

14.7 Bulk Transport according to MARPOL 73/78 Annex II and the IBC Code

Not applicable

15 Legislative information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture

BEKRA (SEVESO) Regulation (30702/2019):

None

Annex-17 of KKDyK Regulation No. 30105 dated 23/06/2017 on the Manufacture, Placing on the Market and Use of Certain Hazardous Substances, Mixtures and Articles Restrictions on Use

	Restrictions	Registration Number
Product restrictions	3	
Substances covered		
None		

Items on the Candidate List (KKDyK Regulation Article 49)

Registration Number

According to currently available information, the product does not contain SVHC substances at a percentage of \geq 0.1%.

Substances subject to authorization (Annex 14 KKDİK)	Authorization Number	Sunset date	Registration Number
None			



KRG CLEANING

GREENDAS STAIN REMOVER

What is the 4.0 Revision?

Revision Date: September 18, 2025

Revised version: 3.0

TR - Turkish

Chapter 15

Safety Data Sheet

It was prepared in accordance with the provisions of KKDýK Annex II Regulation No. 30105, dated 23.06.2017.

Official Gazette No. 32087, dated January 28, 2023

None

Articles subject to the Rotterdam Convention:

None

Articles subject to the Stockholm Convention:

None

Official Gazette No. 30595, dated 14 November 2018 - Regulation on Persistent Organic Pollutants

None

Health Checks

Regulation on Health and Safety Measures in Working with Chemical Substances, dated 12/08/2013 and numbered 28733.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out for the substances/mixtures listed in Section 3.

16 Other information

Full text of the (H) hazard codes specified in sections 2 and 3 of the Form:

Acute Tox. 4	Acute Toxicity, Hazard Category 4
Skin Abrasion 1B	Skin Corrosion, Hazard Category 1B
Sensitive Skin. 1	Sensitization - Skin, Hazard Category 1
Skin Irrit. 2	Skin Irritation, Hazard Category 2
Eye Damage 1	Serious Eye Damage, Hazard Category 1
Eye Irrit. 2	Eye Irritation, Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Chronic Hazard, Category 3
H302	It is harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause allergic skin reactions.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Explanations

Explanations

General Bibliography

- KKDýK: Regulation on the Registration, Evaluation, Authorization and Restriction of Chemicals (No. 30105 dated 23/06/2017 (Repeated)
Official Gazette)
 - SEA: Regulation on Classification, Labelling and Packaging of Substances and Mixtures (Official Gazette No. 28848 dated 11/12/2013 (Repeated))
- The Merck Index. - 10th Edition
- Handling Chemical Safety



KRG CLEANING

Revision Date: 4.0 Revision Date:

18.09.2025 Modified review: 3.0

GREENDAS STAIN REMOVER

TR - Turkish

Chapter 16

Safety Data Sheet

It was prepared in accordance with the provisions of KKDjK Annex II Regulation No. 30105, dated 23.06.2017.

General Bibliography

- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology - NI Sax -
- Dangerous properties of Industrial Materials-7, 1989 Edition - IFA GESTIS Website - ECHA (European Chemicals Agency) Website - Database of SDS models for chemicals
- Ministry of Health and ISS [Istituto Superiore di Sanità (National Institute of Health)] - Italy

Information for Users

The information on this page is based on our knowledge of the date of the latest version. Users must verify the adequacy and completeness of the information provided for each specific use of the product.

This document should not be construed as a guarantee of any specific product feature.

The use of this product is not under our direct control; therefore, users must comply with current health and safety laws and regulations at their own risk. The manufacturer excludes any liability that may arise from improper use.

Provide adequate training to assigned personnel on how to use chemical products.

Calculation methods for classification Chemical

and physical hazards: Product classification is derived from the criteria determined in accordance with the CLA Regulation, Annex I, Part 2. Data for the assessment of chemical-physical properties are given in Section 9.

Health hazards: Product classification is based on the calculation methods specified in Annex 1, Part 3 of the SEA unless otherwise specified in Chapter 11.

Environmental

hazards: Product classification is based on the calculation methods specified in Annex 1, Part 4 of the SEA unless otherwise specified in Chapter 12.

Changes from previous revision

2. Definition of damages

2.1 Classification of the substance or mixture 2.2

Label information 2.3

Other hazards 3

Composition/information on ingredients 3.2

Mixtures 4 First

aid measures 4.1

Description of first aid measures 4.2 Most

important symptoms and effects, both acute and delayed 4.3 Indication

of any immediate medical attention and special treatment needed

5 Firefighting measures 5.1 Fire

extinguishing media 5.2

Special hazards arising from the substance or mixture 5.3 Advice

for firefighters 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency response

plan 6.2 Environmental

precautions 6.3 Methods and materials for containment and cleaning up 6.4 Reference

to other sections 7 Handling and

storage



KRG CLEANING

Revision Date: 4.0 Revision Date:

18.09.2025 Modified review: 3.0

GREENDAS STAIN REMOVER

TR - Turkish

Chapter 16

Safety Data Sheet

It was prepared in accordance with the provisions of KKDjK Annex II Regulation No. 30105, dated 23.06.2017.

Changes from previous revision

7.1 Precautions for safe handling 7.2

Conditions for safe storage, including substances that should not coexist

7.3 Specific end uses

8 Exposure controls/personal protection 8.1

Control parameters 9 Physical

and chemical properties 9.2 Other

information 10

Stability and reactivity 10.1

Reactivity 10.2

Chemical stability 10.3

Possibility of hazardous reactions

10.4 Conditions to avoid 10.5 Incompatible

materials

10.6 Hazardous decomposition products

11 Toxicological information

11.1 Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information on likely routes of exposure Delayed,

immediate and chronic effects from short and long-term exposure Interactive effects

ACUTE TOXICITY

SKIN CORROSION/IRRITATION

SERIOUS EYE DAMAGE/IRRITATION

Respiratory or skin sensitization

GERM CELL MUTAGENICITY

CARCINOGENICITY

REPRODUCTIVE SYSTEM TOXICITY

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

ASPIRATION DAMAGE

12 Ecological

information 12.1 Toxicity

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil 12.5 PBT

and vPvB assessment 12.6 Other adverse

effects 13 Disposal considerations

13.1 Waste treatment methods

15 Regulatory information 15.1

Safety, health and

environmental regulations/legislation for the substance or mixture 15.2 Chemical safety assessment